

2015

K-shell Photoionization of Atomic Cl

Zineb Felfli
Clark Atlanta University

Steven T. Manson
Georgia State University

Alfred Z. Msezane
Clark Atlanta University

Follow this and additional works at: <http://digitalcommons.auctr.edu/caupubs>

 Part of the [Physical Sciences and Mathematics Commons](#)

Recommended Citation

Felfli, Zineb; Manson, Steven T.; and Msezane, Alfred Z., "K-shell Photoionization of Atomic Cl" (2015). *Clark Atlanta University Faculty Publications*. 23.
<http://digitalcommons.auctr.edu/caupubs/23>

This Article is brought to you for free and open access by the Clark Atlanta University at DigitalCommons@Robert W. Woodruff Library, Atlanta University Center. It has been accepted for inclusion in Clark Atlanta University Faculty Publications by an authorized administrator of DigitalCommons@Robert W. Woodruff Library, Atlanta University Center. For more information, please contact cwiseman@auctr.edu.

K-shell Photoionization of Atomic Cl

This content has been downloaded from IOPscience. Please scroll down to see the full text.

2015 J. Phys.: Conf. Ser. 635 092132

(<http://iopscience.iop.org/1742-6596/635/9/092132>)

View [the table of contents for this issue](#), or go to the [journal homepage](#) for more

Download details:

IP Address: 144.125.40.254

This content was downloaded on 13/04/2017 at 21:31

Please note that [terms and conditions apply](#).

You may also be interested in:

K-Shell Photoionization of Oxygen

T W Gorczyca and M F Hasoglu

K-shell photoionization and interatomic Coulombic decay following Auger decay in van der Waals neon clusters

K Sakai, H Fukuzawa, X-J Liu et al.

K-Shell Photoionization of Singly Ionized Atomic Nitrogen

M F Gharaibeh, J-M Bizau, D Cubaynes et al.

A scaling relation for K-shell photoionization cross sections of atoms

S P Khare, V Saksena and S P Ojha

Multi-step post-collision interaction effects in K-shell photoionization of Kr

T Hayaishi, Y Fujita, M Izumisawa et al.

K-SHELL PHOTOIONIZATION OF Ne, Mg, Si, S, Ar, AND Ca

M. C. Witthoef, M. A. Bautista, C. Mendoza et al.

A theoretical investigation of K-shell photoionization of neon

M Kutzner and M Rose

K-shell Photoionization of Atomic Cl

Felfli Z.^{†1}, Manson S. T.^{*2} and Msezane A. Z.^{†3}

[†]Center for Theoretical Studies of Physical Systems, and Department of Physics, Clark Atlanta University, Atlanta, Georgia 30314, USA


^{*}Department of Physics and Astronomy, Georgia State University, Atlanta, Georgia 30303, USA

Synopsis Recent measurements of the photoionization of atomic Cl in the vicinity of the 1s thresholds have motivated the present R-matrix calculation which takes into account relativistic effects *via* the Breit-Pauli operator. The computer code CIV3 of Hibbert and Glass and Hibbert, which also includes relativistic effects, is used to obtain the discrete wavefunctions. These are constructed with orbitals generated from a carefully-chosen large scale configuration interaction expansion. The open-shell nature of the Cl atom translates into the existence of actually four 1s thresholds, $^3P_{0,1,2}^o$ and $^1P_1^o$. The results are analyzed with particular focus on the resonances leading up to the four thresholds, and the various effects that dominate the cross sections in this energy range are unraveled.

When energetic x-rays interact with atoms (molecules), many processes take place simultaneously and must all be taken into account. This is a complex problem of multi-electron correlations that manifest *via* various types of measurable relaxation effects, such as x-ray emission (fluorescence) and Auger decay; to replicate measurement, all these processes must be included at the same level of approximation.

Prompted by the recent high-resolution measurement [1], photoionization of Cl in the vicinity of the 1s⁻¹ thresholds is studied using the R-matrix method [2].

The process of interest is:



An intermediate resonance state can either decay *via* autoionization, leading to ionization of Cl into the Cl⁺ ion plus a free electron, or it can radiatively stabilize, leading to no charge change of the atom; there are participator Auger and radiative decays to the main lines, and there is the more important spectator Auger and radiative decays to the satellite lines. The decay pathways of radiative stabilization redirect some of the initial photoabsorption amplitude, giving a damped photoionization cross section relative to the photoabsorption cross section.

These effects are taken into account in our calculation. For the construction of the target wave functions of the atom, the radial orbitals are optimized on adequately chosen energy levels of states that are crucial to the collision problem, such as those of the relevant core excited states of the atomic system. Our orbital basis is augmented by the inclusion of a number of correlation functions chosen to improve the energies of the ionic thresholds and the ground

state of the ionic target and account for orbital relaxation following inner shell photoionization. The photoabsorption and photoionization cross sections are calculated within the framework of the R-matrix wherein participator decay is taken into account as the wavefunctions involved in the autoionization transition matrix elements are included in the close-coupling expansion of the total wavefunction of Cl. To account for spectator Auger decay to the infinite number of continua, the R matrix is modified by using an optical potential [3], wherein the energies of the core-excited states of the target are analytically continued into the complex plane *via*, $E \rightarrow E - i\Gamma/2$, where Γ is the spectator Auger decay width and is computed in lowest-order perturbation theory using the code AUTOSTRUCTURE [4]. Results will be contrasted with the measurement [1] at the meeting and details of the calculation will be presented and analyzed.

Acknowledgments

Research was supported by U.S. DOE Office of Basic Energy Sciences and the CAU CFNM, NSF-CREST award #HRD-1137751. The NERSC computing facilities are greatly appreciated

References

- [1] W. Stolte *et al* 2013, Phys Rev A **88**, 053425
- [2] A. Hibbert 1975, *Comput. Phys. Commun.* **9**, 141
- [3] T. W. Gorczyca and F. Robicheaux 1999, Phys. Rev. A **60**, 1216
- [4] N. R. Badnell 1986, J. Phys. B **19**, 3827

¹zfelfli@cau.edu

²smanson@gsu.edu

³amsezane@cau.edu

